



Ref No. I-23/Pur/Equip/2019-20/RMRC/PB/877

Date : 23 December, 2019

TENDER NOTICE

Sealed quotations are invited by the Centre so as reach this office on or before 17th, January, 2020 by 04:00 PM to be opened on the same day at 4:30 PM for supply and installation of the following equipments as detailed below. You are requested to please submit your rates / quotations for each items.

1	10KVA ONLINE UPS/192 VOLT (inclusive of installation charges)
2	20KVA ONLINE UPS/192 VOLT (inclusive of installation charges)
3	5.5 KVA ONLINE UPS/192 VOLT (inclusive of installation charges)
4	3 KVA ONLINE UPS 72 VOLT (inclusive of installation charges)
5	2 KVA ONLINE UPS
6	Batteries the rate may be submitted for different ranges starting from 12 AH to 120 AH
7	Rack for different ranges of batteries
8	Stainless steel tables with 2 nos of shelves size: 130 cm x 60 cm x 80 cm
9	Class – II A2 Biosafety Cabinet Inner Chamber working area: 4 Width X 2 Depth X 2 Feet Height Stainless steel inner wall, working area and powder coated outer surfaces
10	Class – II A2 Biosafety Cabinet Inner Chamber: 3 Width X 2 Depth X 2 Feet Height Stainless steel inner wall, working area and powder coated outer surfaces
11	Class – II A2 Biosafety Cabinet Inner Chamber: 2 Width X 18 Depth X 2 Feet Height Stainless steel inner wall, working area and powder coated outer surfaces

पोस्ट बॉक्स नं. 13, डॉलीगंज, पोर्ट ब्लेयर - 744 103, भारत
Post Bag No. 13, Dollygunj, Port Blair - 744 103, India

Tel: +91-3192-251158 | 251043
Fax: +91-3192-251163 (Director's Office)
TeleFax: +91-3192-251924 (Accounts Officer)
email: rmcicmr-pb@gov.in
directorrmrc@gmail.com
acormrcpb.org@gmail.com
www.rmrc.res.in

Terms and condition:

While submitting your estimate, following particulars should be noted otherwise it may not be considered at all:-

- a. The last date for submission of quotation may strictly to be followed.
- b. The rates quoted should be inclusive of supply, installation and taxes as applicable.
- c. The terms & conditions for supply, installation and warranty period, if any is to be mentioned.
- d. The work should be completed in all respect within 30 days on receipt of the work order.
- e. The interested party /firms may contact or visit the Centre for clarification, if any.
- f. The EMD of 2 % on the rates quoted on each items in the shape of demand draft drawn in favour of the Director, ICMR-Regional Medical Research Centre, Port Blair must be enclosed with quotation.
- g. The rate should be quoted for each items of each categories
- h. It is also necessary to quote the rates on buyback option for batteries and the party/firms may visit the Centre to inspect the old UPS and batteries available in this Centre and accordingly quote the rate for buyback option.
- i. The Director of this Centre reserves the right to accept or reject any or all quotations/rates without assigning any reason thereof.


Accounts Officer
For Director